

# SAFETY DATA SHEET



## 1. COMPANY AND PRODUCT INFORMATION

**Product identifier:** N-Edge® Soil

**SDS number:** EA0004

**Recommended use:** Fertilizer coating

**Recommended restrictions:** Use in accordance with supplier's recommendations.

### Manufacturer/Importer/Supplier/Distributor information

**Company name:** CHS Inc.

**Address:** 5500 Cenex Drive  
Inver Grove Heights, MN 55077

**Telephone:** (800) 232-3639  
International Dialing Code 001  
(651) 355-6000

**Emergency:** Call CHEMTREC day or night  
Within USA/Canada 1-800-424-9300  
Outside USA/Canada +1 703-527-3887 (collect calls accepted)

# N-EDGE® SOIL

## 2. HAZARD(S) IDENTIFICATION

**Health hazards:** Flammable Liquid Category 3  
Skin Irritant Category 2

**Label elements**  
**Hazard symbol(s):**



**Signal word:** Warning

**Hazard statement(s):** Flammable liquid and vapor. Causes skin irritation.

### Precautionary statement(s)

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, eye and face protection. Keep away from heat/sparks/open flame and hot surfaces. Use explosion-proof electrical equipment, ventilation and lighting. No smoking near product or blending area. Keep container grounded and tightly closed. Take precautionary measures against static discharge and use only non-sparking tools.

**Response:** After use, thoroughly wash hands, forearms and face. If exposure on skin, wash with plenty of water. If skin irritation occurs, get medical advice. Remove any exposed clothing and wash thoroughly before reuse. In case of fire, use CO<sub>2</sub>, dry powder, sand and/or foam to extinguish.

**Storage:** Store in a well-ventilated place and keep cool.

**Disposal:** Dispose of contents/container to a licensed hazardous waste facility in accordance with all applicable local/state/national/international laws and regulations.

### 3. COMPOSITION OF CHEMICALS (INGREDIENTS)

#### Hazardous components

<u>Chemical name</u>	<u>Common Name</u>	<u>CAS number</u>	<u>%</u>
Dimethyl sulfoxide	DMSO	67-68-5	30-80
Dicyandiamide	Cyanoguanidine	461-58-5	27-29
2 (2-aminoethoxy) ethanol		929-06-6	0.1-5

#### Non-Hazardous components

<u>Chemical name</u>	<u>Common Name</u>	<u>CAS number</u>	<u>%</u>
Non-hazardous dye		Proprietary	0.1-5

**Composition comments:** All concentrations are in percent by weight. Exact percentage values for components are proprietary in accordance with 29 CFR 1910.1200(i). Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

### 4. FIRST AID MEASURES

- General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
- Inhalation:** Bring person to fresh air and keep comfortable for breathing. Allow breathing of fresh air and allow to rest.
- Skin contact:** Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Remove all contaminated clothing. Wash skin with plenty of water. If skin irritation occurs, get medical advice.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison control center or a doctor if you feel unwell.
- Eye contact:** Rinse immediately with plenty of water. If pain, blinking or redness persist, obtain medical attention. Rinse eyes with water as precaution.

### 5. FIREFIGHTING MEASURES

**Suitable extinguishing media:** Carbon Dioxide (CO<sub>2</sub>), Dry Powder, Foam, Water Spray, Sand.

**Unsuitable extinguishing media:** Do NOT use a heavy water stream as an extinguisher.

**Specific hazards arising from the chemical:** Combustible liquid. May form flammable explosive vapor-air mixture. This product is non-reactive under normal conditions of use, storage and transport.

**Advice for firefighters:** Firefighters should be equipped with protective clothing and equipment and self-contained breathing apparatus to protect against potentially toxic and irritating vapors. Isolate hazard area and prevent any entry by non-emergency personnel. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Wear appropriate personal protective equipment. Remove ignition sources and ventilate spillage area. Use special care to avoid static electric charges. No open flames and no smoking in area. Avoid contact with skin and eyes.

**Methods and materials for containment and cleaning up:** Contain released substance, pump into suitable containers. Dispose of materials or solid residues at an authorized site. Avoid release to the environment.

**Recommended Decontamination Facilities:** Eye bath and water washing facilities.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Ensure good ventilation of work and process area to prevent formation of vapor. Wear personal protective equipment and avoid contact with skin and eyes. Wash hands and other exposed area with mild soap and water after handling the product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking or open flames nearby. Wash all exposed or contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibles:** Keep original container tightly closed when not in use. Store in well-ventilated, cool place and in accordance with all applicable local, state, national and international regulations. Optimal storage temperature is 77°F. Avoid storage in direct sunlight.

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

### Control Parameters

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Dicyandiamide (461-58-5)	Not Applicable	Not Applicable
2(2-aminoethoxy)ethanol (929-06-6)	Not Applicable	Not Applicable
Dimethyl sulfoxide (67-68-5)	Not Applicable	Not Applicable

#### ACGIH Threshold Limit Values

Substance	TLV-TWA (8 hour)	TLV-STEL (15 min)
Dicyandiamide (461-58-5)	Not Applicable	Not Applicable
2(2-aminoethoxy)ethanol (929-06-6)	Not Applicable	Not Applicable
Dimethyl sulfoxide (67-68-5)	Not Applicable	Not Applicable

<b>Appropriate engineering controls:</b>	Ensure good ventilation of the work area.
<b>Personal protective equipment:</b>	Avoid all unnecessary exposure. Protective eye-goggles or safety glasses with side-protection shield.
<b>Skin and Hand protection:</b>	Wear suitable protective clothing, including long-sleeve shirts, pants, safety glasses, gloves (e.g. polyethylene/ethylene vinyl alcohol) and boots are recommended.
<b>Respiratory protection:</b>	Wear appropriate mask.
<b>Environmental exposure controls:</b>	Avoid release to the environment.
<b>Other information:</b>	Do not eat, drink or smoke during use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	
<b>Physical state:</b>	Liquid
<b>Color:</b>	Blue
<b>Odor:</b>	Characteristic odor
<b>Odor threshold:</b>	Not Available
<b>pH:</b>	7.5-10.5
<b>Melting point:</b>	Not Available
<b>Freezing point:</b>	32°F (≤0°C)
<b>Boiling point:</b>	372°F (≥189°C)
<b>Flash point:</b>	149°F (65°C) Approximate

<b>Evaporation rate:</b>	Not Available
<b>Flammability (solid, gas):</b>	Not Available
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower:</b>	Not Available
<b>Flammability limit - upper:</b>	Not Available
<b>Explosive limit - lower:</b>	Not Available
<b>Explosive limit - upper:</b>	Not Available
<b>Vapor pressure:</b>	Not Available
<b>Density:</b>	1.164 g/mL
<b>Relative density (Specific gravity):</b>	1.157 @ 20°C (68°F)
<b>Solubilities (water, other):</b>	Soluble in water
<b>Partition coefficient (n-octanol/water):</b>	Not Available
<b>Auto-ignition temperature:</b>	Not Available
<b>Decomposition temperature:</b>	Not Available
<b>Viscosity:</b>	Not Available
<b>Other information</b>	
<b>Bulk density:</b>	Not Available
<b>VOC (Weight %):</b>	Not Available

## **10. STABILITY AND REACTIVITY**

<b>Reactivity:</b>	This is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability:</b>	This is a combustible liquid and may form flammable/explosive vapor-air mixture.
<b>Possibility of hazardous reactions:</b>	Not known to cause any hazardous reactions.
<b>Conditions to avoid:</b>	Direct sunlight, extreme high or low temperatures, open flame, over heating, heat, and sparks. Avoid contact with hot surfaces.
<b>Incompatible materials:</b>	Strong oxidizing and reducing agents. Acids.
<b>Hazardous decomposition Products:</b>	This contains components which may decompose to release: fume, carbon monoxide, carbon dioxide, and may release flammable gases.

## **11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity:**

#### **Components**

Dimethyl sulfoxide (67-68-5)	
LD50 dermal rat	40000 mg/kg bodyweight (Rat; Experimental value)
ATE US (oral)	14500 mg/kg bodyweight
2(2-aminoethoxy)ethanol (929-06-6)	
LD50 oral rat	3000 mg/kg (Rat)
LD50 dermal rabbit	1250 mg/kg (Rabbit)
ATE US (oral)	3000 mg/kg bodyweight
ATE US (dermal)	1250 mg/kg bodyweight
Dicyandiamide (461-58-5)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 0.26 mg/l/4h (Rat)

Skin corrosion/irritation	Causes skin irritation, pH 7.5-10.5
Serious eye damage	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity, single exposure	Not classified
Specific target organ toxicity, repeated exposure	Not classified
Aspiration hazard	Not classified
Chronic effects	Not classified
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Symptoms/injuries after skin contact	Irritation

## **12. ECOLOGICAL INFORMATION**

### **Ecology-general:**

Not classified as dangerous for the environment according to the criteria of Directive 67/548/EEC. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### **Ingredient Information:**

Dicyandiamide (461-58-5)	
LC50, fish 1	7700 mg/l (LC50, 96h)
EC50, Daphnia 1	3177 mg/l (EC50, 48h)

### **Persistence and degradability**

Biodegradable in the soil.

### **Bioaccumulative potential**

Product Data Not Available

### **Mobility in soil**

Product Data Not Available

### **Mobility in general**

Product Data Not Available

### **Other adverse effects**

Product Data Not Available

## **13. DISPOSAL CONSIDERATIONS**

### **Disposal instructions:**

Do not allow this material to drain into sewers or water supplies. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Since emptied containers may retain product residue, follow label warnings even after container is empty. Handle empty containers with care because residual vapors are flammable. Avoid release into environment.

## **14. TRANSPORT INFORMATION**

### **In accordance with DOT**

### **Transport document description**

UN1993 Flammable liquids, n.o.s. (Contains Dimethyl Sulfoxide), 3, III.

### **UN-No.(DOT)**

UN1993

### **Proper Shipping Name (DOT)**

Flammable liquids, n.o.s.  
Contains Dimethyl Sulfoxide

**Transport hazard class(es) (DOT)**  
**Hazard labels (DOT)**

3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
3 - Flammable liquid



**Packing group (DOT)**  
**DOT Packaging Non Bulk (49 CFR 173.xxx)**  
**DOT Packaging Bulk (49 CFR 173.xxx)**  
**DOT Symbols**  
**DOT Special Provisions (49 CFR 172.102)**

III - Minor Danger

203

242

G - Identifies PSN requiring a technical name

B1 - If the material has a flash point at or above 100°F (38°C) and below 200°F (93°C), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 100°F (38°C), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50°C (1.1 bar at 122°F), or 130 kPa at 55°C (1.3 bar at 131°F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.56 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / (1 + a (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

**DOT Packaging Exceptions (49 CFR 173.xxx)**  
**DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)**  
**DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)**

150

60L

220L

## 15. REGULATORY INFORMATION

### US Regulations

Dimethyl Sulfoxide is listed on the US TSCA (Toxic Substances Control Act) Inventory.

2(2-aminoethoxy)ethanol (929-06-6) is listed on the US TSCA (Toxic Substances Control Act) Inventory.

### US State Regulations

**California Proposition 65** - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**New Jersey Right To Know Components:** Dimethyl sulfoxide CAS 67-68-5

### INVENTORIES


Canada	Domestic Substances List (DSL)	All components on inventory.
US	Toxic Substances Control Act (TSCA) Inventory	All components on inventory.

## 16. OTHER INFORMATION

Revision Date: 6-8-2016

### NFPA Hazards

Health Hazard:	1 Slight - Exposure could cause irritation but only minor residual injury even if no treatment is given.
Flammability:	1 Slight - Must be preheated before ignition can occur.
Reactivity:	0 Minimal - Normally stable and not reactive with water.



**NOTICE: THE INFORMATION PRESENTED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE AS OF THE DATE OF PREPARATION OF THIS SAFETY DATA SHEET AND NO WARRANTY OR REPRESENTATION, EXPRESSED OR IMPLIED, IS MADE TO THE ACCURACY OR COMPREHENSIVENESS OF THE FOREGOING DATA AND SAFETY INFORMATION NOR IS ANY AUTHORIZATION GIVEN OR IMPLIED TO PRACTICE ANY PATENTED INVENTION WITHOUT A LICENSE. THE INFORMATION GIVEN HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH THIS COMPANY OR NOT. THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND SUITABLE FOR THEIR NEED. DUE TO THE SEVERAL WAYS IN WHICH THE PRODUCT MAY BE USED AND THE POSSIBLE INTERACTION WITH VARIABLES NOT DEPENDING ON OR UNKNOWN TO THE SUPPLIER, THE SUPPLIER CANNOT ACCEPT ANY LIABILITY WHATSOEVER FOR ANY LOSS OR DAMAGE, HOWEVER, ARISING FROM THE HANDLING AND USE OF PRODUCT. PURCHASERS AND USERS ASSUME ALL RISK OF USE, STORAGE AND HANDLING OF THE PRODUCT IN COMPLIANCE WITH APPLICABLE FEDERAL, STATE, LOCAL AND INTERNATIONAL LAWS AND REGULATIONS.**